



-1-

SEQUENCE LISTING

<110> Pantoliano, Michael W.  
Salemme, F. Raymond  
Carver, Jr., Theodore, E.

<120> High Throughput Method for Functionally Classifying Proteins  
Identified Using a Genomics Approach

<130> 1503.0310002/JAG/JSO

<140> 10/057,940

<141> 2002-01-29

<150> 05/190,128

<151> 1998-11-10

<160> US 60/065,129

<161> 1997-11-12

<180> 14

<170> PatentIn version 3.0

<210> 1

<211> 64

<212> DNA

<213> Artificial

<220>

<223> AT-rich tract

<400> 1

tttttttttt tttttttttt tttttttttt ttaaaaaaaaa aaaaaaaaaa aaaaaaaaaa  
aaaa

60  
64

<210> 2

<211> 64

<212> DNA

<213> Artificial

<220>

<223> AT-rich tract

<400> 2

tttatatat atatatat atatatat attatatata tatatatata tatatatata  
tata

60  
64

<210> 3

<211> 64

<212> DNA

<213> Artificial

<220>

<S22> AT-rich tract

<S10> 3  
 aaataaataa ataaataaat aaataaataa atttttattta tttattttatt tattttattta 60  
 tttta 64

<S10> 4  
 <S11> 60  
 <S12> DNA  
 <S13> Artificial

<S10>  
 <S22> AT-rich tract

<S10> 4  
 aaattaaatt aaattaaatt aaattaaatt ttttaatttaa ttttaatttaa ttttaatttaa 60

<S10> 5  
 <S11> 72  
 <S12> DNA  
 <S13> Artificial

<S22>  
 <S23> AT-rich tract

<S10> 5  
 aaatttaaat ttaaatttaa attttaaatt aaatttttta aattttaaatt taaattttaa 60  
 ttttaattta aa 72

<S10> 6  
 <S11> 64  
 <S12> DNA  
 <S13> Artificial

<S22>  
 <S23> AT-rich tract

<S10> 6  
 aaatttttaa aatttttaaaa tttttaaatt ttttttaaaa tttttaaatt ttaaaatttt 60  
 aaaa 64

<S10> 7  
 <S11> 64  
 <S12> DNA  
 <S13> Artificial

<S22>  
 <S23> GC-rich tract

<S10> 7  
 ccccccacc cccccccccc cccccccccc cggggggggg gggggggggg gggggggggg 60  
 cggg 64

<S10> 8  
 <S11> 64  
 <S12> DNA  
 <S13> Artificial

<220>  
 <223> GC-rich tract

<400> 8  
 ggcgcgcgcgc ggcgcgcgcgc ggcgcgcgcgc gccgcgcgcgc cgcgcgcgcgc cgcgcgcgcgc  
 cgcgc 60  
 64

<210> 9  
 <211> 72  
 <212> DNA  
 <213> Artificial

<220>  
 <223> GC-rich tract

<400> 9  
 gggggccggc cggggccggc gccggggccc gggccccccg gggccgggcc cggggccggg  
 cggggccggc gg 60  
 72

<210> 10  
 <211> 64  
 <212> DNA  
 <213> Artificial

<220>  
 <223> GC-rich tract

<400> 11  
 gggggccggc gggccggggg cccgggggcc cccccggggg cccgggggcc cggggggccc  
 cgggg 60  
 64

<210> 11  
 <211> 128  
 <212> DNA  
 <213> Artificial

<220>  
 <223> CA- and GT-rich tract

<400> 11  
 cacacacaca cacacacaca cacacacaca cacacacaca cacacacaca cacacacaca  
 cacagtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt  
 cacagtgt 60  
 128  
 128

<210> 12  
 <211> 128  
 <212> DNA  
 <213> Artificial

<220>  
 <223> CT- and GA-rich tract

<400> 12  
 ctctctctct ctctctctct ctctctctct ctctctctct ctctctctct ctctctctct  
 ctctcagaga gagagagaga gagagagaga gagagagaga gagagagaga gagagagaga  
 gagagaga 60  
 120  
 128

Q10 13  
Q11 128  
Q12 DNA  
Q13 Artificial

Q20  
Q23 AG- and TC-rich tract

Q400 13  
agagagagag agagagagag agagagagag agagagagag agagagagag agagagagag 60  
agagtctctc tctctctctc tctctctctc tctctctctc tctctctctc tctctctctc 120  
tctctctc 128

Q10 14  
Q11 60  
Q12 DNA  
Q13 Artificial

Q20  
Q23 T- and A-rich tract with single-stranded and duplex DNA

Q400 14  
tttttttttt tttttttttt tttttttttt tttttttttt aaaaaaaaaa aaaaaaaaaa 60